

<b>Report ID</b>	<b>Report Date:</b> 17/8/2021 <b>Sample Code :</b> 15649.210805/1920 <b>Pages:</b> 5
<b>Client ID</b>	<b>Company:</b> BIO-SOLEA <b>Address:</b> 58 Athalassas Avenue Danae Court, 1 <sup>st</sup> Floor CY - 2023 Nicosia, Cyprus PO.Box: 24511. CY-2063 <b>Phone number:</b> +357 99227123 <b>Fax:</b> <b>Email:</b> nicolas.netien@biosolea.com
<b>Sample ID</b>	<b>Product:</b> Honey <b>Labeling from client:</b> BATCH 190721 <b>Sampling:</b> By client <b>Quantity:</b> 400g <b>Sample preservation:</b> Ambient temperature <b>Date of sample receipt:</b> 5/8/2021 <b>Dates of tests performance:</b> 12-13/8/2021

	Parameter	Result	RL	Legislation Limit	Methods Code	Methods
1	Moisture (%w/w)	15,3	--	$\leq 20^{(1)}$	M01/F1Y13/OS	IHC 2002/ 1. Moisture, refractometry
2	Conductivity 20 <sup>0</sup> C (mS/cm)	0,644	--	$\leq 0,8^{(1)}$	M02/F1Y13/OS	IHC 2002/ 2. Electrical conductivity
3	Diastase Number (DN)	15,4	3,0	$\geq 8^{(1)}$	M06/F1Y13/AM	IHC 2002/ 6.2 Determination of diastase activity with Phadebas
4	Hydroxymethylfurfural (HMF) (mg/kg)	<2,0	2,0	$\leq 40^{(1)}$	M05/F1Y13/AM	IHC 2002/ 5.2 Determination of HMF after White
5	pH (20 <sup>0</sup> C)	3,81	--	--	M03/F1Y13/OS	IHC 2002/ 4. pH
6	Free acidity (meq acid/kg)	38,5	--	$\leq 50^{(1)}$	M04/F1Y13/OS	IHC 2002/ 4. Free acidity
7	Sugars Profile (%w/w)	69,2	--	<sup>(1)</sup>	M08/F1Y13/OS	IHC 2002/ 7.2 HPLC-RI
	Glucose (% w/w)	31,6	0,2	$\geq 60$ as reducing sugars (sum)		
	Fructose (% w/w)	37,1	0,2	-		
	Maltose (% w/w)	<0,2	0,2	-		
	Sucrose (% w/w)	0,5	0,2	$\leq 5$		
8	Pesticides Residues (mg/kg)	Not detected <RL see Table 2	0,01	--	M21/GF/OS	GC/ECD/FPD/ NPD
9	Antibiotics Residues (mg/kg)	Not detected <RL see Table 1	10	--	M26/F1Y13/OS	HPLC/MS-MS

RL: Reporting Limit (Limit of Quantification of method). Methods that are accredited (ISO17025:2017) are described with “/AM” at the end of the method’s code. Methods out of the scope of accreditation are described with “/OS” at the end of the method’s code. Tests performed by subcontractors are identified by the symbol \*. The accreditation number of the subcontractor is referred at the end of this report. All tests are performed in HELLASCHEM facilities, unless differently mentioned in the certificate of analysis.

Notes:

- (1) Greek Code of Food & Drinks, articles 67 & 67a for blossom honey
- (2) HARMONISED METHODS OF THE INTERNATIONAL HONEY COMMISSION, 2002

Table 1: Antibiotics Residues - Results

	Antibiotics	Results
1	Oxytetracycline dehydrate (µg/kg)	<10
2	Tetracycline hydrochloride (µg/kg)	<10
3	Chlorotetracycline.HCl (µg/kg)	<10
4	Doxycycline hydrochloride (µg/kg)	<10
5	Sulfadiazine (µg/kg)	<10
6	Sulfabenzamide (µg/kg)	<10
7	Sulfacetamide (µg/kg)	<10
8	Sulfachloropyridazine (µg/kg)	<10
9	Sulfaclozine (µg/kg)	<10
10	Sulfadimethoxine (µg/kg)	<10
11	Sulfadoxine (µg/kg)	<10
12	Sulfaguanidine (µg/kg)	<10
13	Sulfamerazine (µg/kg)	<10
14	Sulfameter (µg/kg)	<10
15	Sulfamethazine (µg/kg)	<10
16	Sulfamethizole (µg/kg)	<10
17	Sulfamethoxazole (µg/kg)	<10
18	Sulfamethoxypyridazine (µg/kg)	<10
19	Sulfamonomethoxine (µg/kg)	<10
20	Sulfanitran (µg/kg)	<10
21	Sulfapyridine (µg/kg)	<10
22	Sulfaquinoxaline (µg/kg)	<10
23	Sulfathiazole (µg/kg)	<10
24	Sulfisoxazole (µg/kg)	<10
25	Chloramphenicol (µg/kg)	<10
26	Fumagillin (µg/kg)	<10
27	Flumequine (µg/kg)	<10
28	Trimethoprim (µg/kg)	<10
29	Penicillin G (µg/kg)	<10
30	Penicillin V (µg/kg)	<10
31	Natamycin (µg/kg)	<10

Table 2: Pesticides Residues – Results

	Pesticides	Results		Pesticides	Results
1	Acephate	<0,010ppm	41	Crimidine	<0,010ppm
2	Acetochlor	<0,010ppm	42	Cyanazine	<0,010ppm
3	Acrinanthrin	<0,010ppm	43	Cymoxanil	<0,010ppm
4	Alachlor	<0,010ppm	44	Cyfluthrin	<0,010ppm
5	Aldicarb sulfone	<0,010ppm	45	Cyhalothrin –λ	<0,010ppm
6	Aldicarb sulfoxide	<0,010ppm	46	Cymiazol	<0,010ppm
7	Aldrin	<0,010ppm	47	Cypermethrin	<0,010ppm
8	Ametryn	<0,010ppm	48	DDD - op	<0,010ppm
9	Amitraz	<0,010ppm	49	DDD - pp	<0,010ppm
10	Atrazine	<0,010ppm	50	DDE - op	<0,010ppm
11	Azinphos ethyl	<0,010ppm	51	DDE - pp	<0,010ppm
12	Azinphos methyl	<0,010ppm	52	DDT - o,p	<0,010ppm
13	Benfularin	<0,010ppm	53	DDT - p,p	<0,010ppm
14	Benfuracarb	<0,010ppm	54	Deltamethrin	<0,010ppm
15	Benomyl	<0,010ppm	55	Demeton S methyl	<0,010ppm
16	Bifenox	<0,010ppm	56	Desmedipham	<0,010ppm
17	Bifenthrin	<0,010ppm	57	Desmetryn	<0,010ppm
18	Bromophos ethyl	<0,010ppm	58	Diazinon	<0,010ppm
19	Bromophos methyl	<0,010ppm	59	Dichlorvos	<0,010ppm
20	Bromopropylate	<0,010ppm	60	Dicrotophos	<0,010ppm
21	Cadusaphos	<0,010ppm	61	Dieldrin	<0,010ppm
22	Captafol	<0,010ppm	62	Dimethoate	<0,010ppm
23	Captan	<0,010ppm	63	Dimoxystrobin	<0,010ppm
24	Carbaryl	<0,010ppm	64	Diniconazole	<0,010ppm
25	Carbendazim	<0,010ppm	65	Dinitramine	<0,010ppm
26	Carbofuran	<0,010ppm	66	Dinocap	<0,010ppm
27	Chlordan - cis	<0,010ppm	67	Ditalimfos	<0,010ppm
28	Chlordan - trans	<0,010ppm	68	Ditalimfos	<0,010ppm
29	Chlordinafop	<0,010ppm	69	Endosulfan- a	<0,010ppm
30	Chlorfenapyr	<0,010ppm	70	Endosulfan- b	<0,010ppm
31	Chlorfenvinphos	<0,010ppm	71	Endosulfan sulfate	<0,010ppm
32	Chlorobezilate	<0,010ppm	72	Endrin	<0,010ppm
33	Chlorothalonil	<0,010ppm	73	Esfenvalerate	<0,010ppm
34	Chlorpyrifos	<0,010ppm	74	Etaconazole	<0,010ppm
35	Chlorpyrifos methyl	<0,010ppm	75	Ethalfluralin	<0,010ppm
36	Climbazol	<0,010ppm	76	Ethion	<0,010ppm
37	Clothianidine	<0,010ppm	77	Ethionfencarb	<0,010ppm
38	Coumaphos	<0,010ppm	78	Ethoprophos	<0,010ppm
39	Crimidine	<0,010ppm	79	Etiazol	<0,010ppm
40	Cyanazine	<0,010ppm	80	Fenbuconazole	<0,010ppm

	Pesticides	Results		Pesticides	Results
81	Fenhexamid	<0,010ppm	121	Meptyldinocap	<0,010ppm
82	Fenamiphos	<0,010ppm	122	Metamitron	<0,010ppm
83	Fenamiphos sulfone	<0,010ppm	123	Metazachlor	<0,010ppm
84	Fenarimol	<0,010ppm	124	Methacrifos	<0,010ppm
85	Fenitrothion	<0,010ppm	125	Methamidophos	<0,010ppm
86	Fenphos sulfoxide	<0,010ppm	126	Methoxychlor	<0,010ppm
87	Fensulfothion	<0,010ppm	127	Metribuzin	<0,010ppm
88	Fenthion	<0,010ppm	128	Mirex	<0,010ppm
89	Fenthion sulfone	<0,010ppm	129	Monocritophos	<0,010ppm
90	Fenthion sulfoxide	<0,010ppm	130	Nitrofen	<0,010ppm
91	Fenvalerate	<0,010ppm	131	Nuarimol	<0,010ppm
92	Fluazinam	<0,010ppm	132	Ofurace	<0,010ppm
93	Flucythrinate	<0,010ppm	133	Omethoate	<0,010ppm
94	Fludioxonil	<0,010ppm	134	Oxyfluorfen	<0,010ppm
95	Flumethrin	<0,010ppm	135	Paclobutrazole	<0,010ppm
96	Fluopicolide	<0,010ppm	136	Parathion	<0,010ppm
97	Fonofos	<0,010ppm	137	Parathion methyl	<0,010ppm
98	Formothion	<0,010ppm	138	Penconazole	<0,010ppm
99	Haloxypop	<0,010ppm	139	Pendimethalin	<0,010ppm
100	HCH - a	<0,010ppm	140	Permethrin	<0,010ppm
101	HCH - b	<0,010ppm	141	Phenmedipham	<0,010ppm
102	HCH - d	<0,010ppm	142	Phorate	<0,010ppm
103	HCH - e	<0,010ppm	143	Phosmet	<0,010ppm
104	Heptachlor	<0,010ppm	144	Phosphamidon	<0,010ppm
105	Heptachlor cis epoxide	<0,010ppm	145	Picolinafen	<0,010ppm
106	Heptachlor trans epoxide	<0,010ppm	146	Picoxystrobin	<0,010ppm
107	Hexachlorobenzene	<0,010ppm	147	Piperonyl butoxide	<0,010ppm
108	Hexaflumuron	<0,010ppm	148	Pirimicarb	<0,010ppm
109	Iprodione	<0,010ppm	149	Pirimiphos methyl	<0,010ppm
110	Isodrin	<0,010ppm	150	Procymidone	<0,010ppm
111	Isoproturon	<0,010ppm	151	Profoxydim	<0,010ppm
112	Isoxaflutole	<0,010ppm	152	Prometon	<0,010ppm
113	Kresoxim methyl	<0,010ppm	153	Prometryn	<0,010ppm
114	Lenacil	<0,010ppm	154	Propaquizafop	<0,010ppm
115	Lindane (ghch)	<0,010ppm	155	Propargyl	<0,010ppm
116	Malathion	<0,010ppm	156	Propazine	<0,010ppm
117	Methidathion	<0,010ppm	157	Propham	<0,010ppm
118	Mecarbam	<0,010ppm	158	Propiconazol	<0,010ppm
119	Mecarbam	<0,010ppm	159	Proquinazid	<0,010ppm
120	Mepronil	<0,010ppm	160	Pyrethrins	<0,010ppm

	Pesticides	Results		Pesticides	Results
161	Pyridaben	<0,010ppm	171	Tebuconazole	<0,010ppm
162	Pyrifenox	<0,010ppm	172	Tetradifon	<0,010ppm
163	Quinalphos	<0,010ppm	173	Triadimefon	<0,010ppm
164	Quinoxifen	<0,010ppm	174	Triazophos	<0,010ppm
165	Quintozene	<0,010ppm	175	Triflumizole	<0,010ppm
166	Sethoxydim	<0,010ppm	176	Trifluralin	<0,010ppm
167	Simazine	<0,010ppm	177	Triticonazol	<0,010ppm
168	Spirodiclofen	<0,010ppm	178	Vamidotion	<0,010ppm
169	Spirodiclofen	<0,010ppm	179	Vinchlozoline	<0,010ppm
170	Tau - fluvalinate	<0,010ppm	180	Zoxamide	<0,010ppm

Certified by  
**HELLASCHEM**  
Nikiforos Iliopoulos  
HELLASCHEM Manager

This certificate may not be reproduced, other than in full, except with prior authorization from HELLASCHEM

The results refer only to the samples sent to HELLASCHEM

HELLASCHEM is certified according to ISO 9001:2015 for its laboratory & consultancy services

-- END OF CERTIFICATE OF ANALYSIS --

Page of certificate of analysis of sample with sample code: 15649.210805/1920